

# APRIL 1

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	77	2010	-2	1924	25	1899	47	1920		44	24	34	
APPLETON	80	2010	12	1954,1972	28	1936	50	2010		48	30	39	
GREEN BAY	75	2010	11	1924,1972	27	1899,1936	49	1945		47	29	38	
MANITOWOC	73	1945	13	1911	28	1899	46	1945		45	31	38	
MARSHFIELD	80	2010	-1	1924	26	1936	50	1999		48	29	38	
MERRILL	78	2010	-5	1924	31	1911	48	1999		47	24	35	
OSHKOSH	83	2010	5	1899	29	1899	51	1999		50	30	40	
RHINELANDER	77	2010	-11	1924	27	1926	45	1920,1945		45	24	35	
STEVENS POINT	80	2010	5	1924	26	1899	51	1999		48	28	38	
STURGEON BAY	73	1945	5	1923	29	1936	44	1999		45	28	37	
WAUSAU	79	2010	3	1924	27	1899	47	1999		47	27	37	
WISCONSIN RAPIDS	82	2010	8	1924	20	1926	50	1999		49	28	38	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.75	1929	10.0	1929						0.06	2.72	0.2	49.9
APPLETON	1.20	1929	9.0	1929						0.09	4.12	0.1	41.5
GREEN BAY	0.49	1929	9.2	1929						0.08	4.17	0.2	48.5
MANITOWOC	1.10	1929	8.0	1929						0.09	5.01	0.1	42.2
MARSHFIELD	0.88	1998	4.0	1965						0.08	3.57	0.2	47.9
MERRILL	0.43	1929	6.8	1929						0.07	3.78	0.2	47.4
OSHKOSH	0.93	1929	7.0	1929						0.09	4.13	0.1	35.0
RHINELANDER	0.51	1965	6.0	1965						0.07	3.68	0.3	60.9
STEVENS POINT	0.42	1920	5.0	1929,1965						0.08	3.87	0.1	42.8
STURGEON BAY	0.95	1998	4.6	1965						0.08	4.92	0.1	48.4
WAUSAU	1.95	1934	5.1	1965						0.07	3.77	0.2	55.5
WISCONSIN RAPIDS	0.78	1977	7.8	1977						0.08	3.90	0.1	46.3

APRIL 1

**APRIL 2**

	REC		REC		LOW		HIGH					
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	74	1963	4	1965	20	1896	54	2010		45	25	35
APPLETON	80	1963	16	1908,1954	27	1971	58	2010		48	30	39
GREEN BAY	80	1963	11	1896,1954	24	1896	56	2010		47	29	38
MANITOWOC	76	1963	9	1886	27	1886	48	1946		45	31	38
MARSHFIELD	77	1963	6	1924	27	1944	54	2010		48	29	39
MERRILL	75	1963	10	1908	28	1908	55	2010		47	25	36
OSHKOSH	79	1963,2010	11	1896	25	1896	56	2010		50	30	40
RHINELANDER	74	2010	3	1954	19	1971	53	2010		46	24	35
STEVENS POINT	78	1963	10	1926	30	1908	53	2010		48	28	38
STURGEON BAY	77	1963	12	1911	30	1936	50	1946		46	28	37
WAUSAU	76	1963	8	1954	21	1971	54	2010		48	28	38
WISCONSIN RAPIDS	79	1963	-1	1926	23	1926	54	2010		50	28	38
	REC		REC									
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW
										MONTH	YEAR	MONTH SEASON
ANTIGO	1.32	1967	4.0	1932						0.12	2.78	0.3 50.0
APPLETON	1.37	1982	4.5	1979						0.18	4.21	0.3 41.7
GREEN BAY	0.89	1977	3.7	1979						0.16	4.25	0.3 48.6
MANITOWOC	1.50	2006	1.0	1913,1936,1950						0.18	5.10	0.1 42.2
MARSHFIELD	1.19	1967	2.0	1934,1950,2002						0.15	3.64	0.4 48.1
MERRILL	1.22	1967	3.0	1932,2001						0.15	3.86	0.4 47.6
OSHKOSH	0.91	1988	5.3	1979						0.18	4.22	0.2 35.1
RHINELANDER	1.32	1982	6.0	1932						0.14	3.75	0.6 61.2
STEVENS POINT	0.87	1977	3.0	1920,1950,2002						0.16	3.95	0.2 42.9
STURGEON BAY	1.01	1977	4.0	1950,1979						0.16	5.00	0.3 48.6
WAUSAU	1.32	1967	3.4	1950						0.14	3.84	0.4 55.7
WISCONSIN RAPIDS	1.06	1920	7.7	1977						0.16	3.98	0.2 46.4

## APRIL 2


## APRIL 3

					REC		REC						
	REC		REC		LOW		HIGH						NORMAL
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	72	1963	1	1954	23	1971	44	2010		45	25	35	
APPLETON	74	1921	8	1954	26	1954	48	1981		49	31	40	
GREEN BAY	75	1921	7	1954	27	1971	47	2010		48	29	38	
MANITOWOC	70	1963	5	1982	27	1886,1954	47	1997		45	32	39	
MARSHFIELD	77	1999	4	1954	25	1954	48	1981		49	29	39	
MERRILL	73	1910	2	1954	27	1954	44	1999,2010		48	25	36	
OSHKOSH	77	1921	6	1954	27	1954	51	1999		51	30	41	
RHINELANDER	78	1921	-1	1954	24	1954	41	2010		46	25	36	
STEVENS POINT	77	1963	1	1899	22	1971	48	1907		49	29	39	
STURGEON BAY	69	1921	7	1954	28	1954,1971,2003	46	2010		46	29	38	
WAUSAU	77	1921	4	1954	25	1954	45	1910		48	28	38	
WISCONSIN RAPIDS	80	1929	3	1920	27	1954	45	1988		50	28	39	
	REC		REC										NORMAL
	PCPN	YEAR(S)	SNOW	YEAR(S)									PCPN SNOW
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.95	1982	3.0	1923,1983						0.18	2.84	0.5	50.2
APPLETON	2.30	1981	5.0	1923						0.27	4.30	0.4	41.8
GREEN BAY	1.72	1981	6.0	1923						0.24	4.33	0.5	48.8
MANITOWOC	1.10	2006	2.0	1923						0.28	5.20	0.2	42.3
MARSHFIELD	1.97	1934	3.0	1923,1945,1980,1982						0.23	3.72	0.5	48.2
MERRILL	0.84	1922	3.0	1950						0.23	3.94	0.6	47.8
OSHKOSH	1.28	1982	4.0	1923						0.27	4.31	0.2	35.1
RHINELANDER	1.77	1934	7.5	1945						0.21	3.82	0.9	61.5
STEVENS POINT	1.92	1934	2.5	1983						0.24	4.03	0.3	43.0
STURGEON BAY	0.90	1988	6.0	1923						0.24	5.08	0.4	48.7
WAUSAU	1.38	1913	5.6	1923						0.22	3.92	0.6	55.9

WISCONSIN RAPIDS	2.25	1981	0.8	1972						0.25	4.07	0.3	46.5
------------------	------	------	-----	------	--	--	--	--	--	------	------	-----	------

## APRIL 3


## APRIL 4

					REC			REC					
	REC		REC		LOW			HIGH					NORMAL
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	75	1921	4	1972	21	2003	48	1921		46	26	36	
APPLETON	76	1997	9	1995	27	1995,2003	53	1910		49	31	40	
GREEN BAY	75	1921,1997	11	1995	25	1995	57	1921		48	30	39	
MANITOWOC	69	1912	5	1982	23	1887	44	1921		46	32	39	
MARSHFIELD	78	1929	5	1972,1995	25	2003	53	1921		50	30	40	
MERRILL	76	1929	2	1995	21	1995	48	1910		48	25	37	
OSHKOSH	77	1921	11	1982,1995	24	1995	52	1921		51	31	41	
RHINELANDER	78	1921	-1	1923,2002	20	1995,2003	48	1921		47	25	36	
STEVENS POINT	77	1921	5	1899	26	2003	50	1910		49	29	39	
STURGEON BAY	72	1921	2	1923	24	1995	44	2010		47	29	38	
WAUSAU	78	1921	4	1995	21	1995	54	1921		49	28	39	
WISCONSIN RAPIDS	79	1921	6	1995	24	1995	53	1929		51	29	39	

	REC		REC										NORMAL
	PCPN	YEAR(S)	SNOW	YEAR(S)									PCPN SNOW
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.68	1981	4.0	2003						0.24	2.90	0.6	50.3
APPLETON	1.15	1969	8.0	1977						0.36	4.39	0.5	41.9
GREEN BAY	0.99	1897	9.8	1977						0.31	4.40	0.6	48.9
MANITOWOC	1.04	1882	2.5	1936						0.37	5.29	0.2	42.3
MARSHFIELD	1.35	1981	4.0	1977						0.30	3.79	0.7	48.4
MERRILL	1.58	1981	7.4	2003						0.31	4.02	0.8	48.0
OSHKOSH	2.28	1981	7.0	1977						0.35	4.39	0.3	35.2
RHINELANDER	1.34	1974	7.3	2014						0.28	3.89	1.2	61.8
STEVENS POINT	2.40	1981	4.0	1926						0.32	4.11	0.4	43.1

STURGEON BAY	1.60	1981	7.0	2003					0.32	5.16	0.5	48.8
WAUSAU	0.96	1927	5.0	1977					0.29	3.99	0.7	56.0
WISCONSIN RAPIDS	1.26	1945	6.9	1977					0.33	4.15	0.4	46.6

## APRIL 4


## APRIL 5

					REC			REC				
	REC		REC		LOW			HIGH				NORMAL
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	76	2005	6	1971	28	1982,2003,2007	47	1929		46	26	36
APPLETON	77	1991	12	1996	25	1982	47	1997		50	31	41
GREEN BAY	77	1921,1991	13	1887,1995	24	1982	55	1921		49	30	39
MANITOWOC	76	1929	3	1979	29	1995	45	1912		46	32	39
MARSHFIELD	79	1991	10	1972	29	1982	52	1929		50	30	40
MERRILL	80	1921	2	1995	25	1995	44	1929,1997		49	26	37
OSHKOSH	77	1929	10	1995	33	1936,2003	53	1921		52	31	41
RHINELANDER	78	1921	2	2014	20	1995	52	1921		48	26	37
STEVENS POINT	77	1921	6	1995	22	1995	52	1921		50	30	40
STURGEON BAY	72	1991	9	1923	25	1982	43	1912,2001,2010		47	30	38
WAUSAU	77	1991	11	1972,1979	24	1982	53	1929		49	29	39
WISCONSIN RAPIDS	79	1921	8	1995	24	1982	64	1929		51	29	40
	REC		REC									NORMAL
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW
										MONTH	YEAR	MONTH SEASON
ANTIGO	0.94	1947	6.0	1977						0.31	2.97	0.7 50.4
APPLETON	1.55	1985	6.0	1985						0.45	4.48	0.6 42.0
GREEN BAY	1.42	1947	3.5	1935						0.39	4.48	0.8 49.1
MANITOWOC	1.42	1947	3.0	2003						0.46	5.38	0.3 42.4
MARSHFIELD	1.14	1958	3.5	1935						0.38	3.87	0.8 48.5
MERRILL	1.10	1910	3.5	1913						0.39	4.10	0.9 48.1
OSHKOSH	1.36	1947	2.0	1953						0.44	4.48	0.3 35.2

RHINELANDER	1.60	1947	4.0	1995					0.36	3.97	1.5	62.1
STEVENS POINT	1.03	1947	6.0	1977					0.41	4.20	0.5	43.2
STURGEON BAY	1.44	1947	6.1	1977					0.40	5.24	0.6	48.9
WAUSAU	1.23	1958	2.1	1995					0.37	4.07	0.9	56.2
WISCONSIN RAPIDS	1.27	1958	2.5	1982					0.42	4.24	0.4	46.6

## APRIL 5


## APRIL 6

					REC			REC				
	REC		REC		LOW			HIGH				NORMAL
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	81	1991	-1	2003	23	2007	52	1921		47	27	37
APPLETON	86	1991	7	1979	29	1979	55	1991		50	32	41
GREEN BAY	84	1991	12	2003	29	1939	63	1921		49	30	40
MANITOWOC	85	1991	4	1979	28	2003	49	1929		47	33	40
MARSHFIELD	84	1991	6	1979	26	1923	57	1929		51	31	41
MERRILL	82	1991	0	2003	26	2007	47	1997		50	26	38
OSHKOSH	84	1991	10	1982	30	1979	59	1921		52	32	42
RHINELANDER	80	1991	-4	1982,2003	20	2007	53	1921		48	26	37
STEVENS POINT	79	1991	9	1979	28	1982,2007	59	1921		50	30	40
STURGEON BAY	83	1991	9	1979,2003	28	1939	49	1921		48	30	39
WAUSAU	85	1991	8	1979	27	2007	58	1921		50	29	40
WISCONSIN RAPIDS	85	1991	7	1982	23	1926	67	1929		52	30	40
	REC		REC									NORMAL
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW
										MONTH	YEAR	MONTH SEASON
ANTIGO	1.95	1958	5.5	1914						0.38	3.04	0.9 50.6
APPLETON	1.00	1978	4.0	1911						0.55	4.58	0.8 42.2
GREEN BAY	1.22	2010	5.0	1914						0.48	4.57	0.9 49.2
MANITOWOC	0.90	1958	4.5	1911						0.56	5.48	0.3 42.4
MARSHFIELD	1.60	1958	4.0	1914						0.46	3.95	1.0 48.7

MERRILL	2.01	1958	4.2	1914					0.47	4.18	1.1	48.3
OSHKOSH	1.38	2010	6.0	1911,1914					0.54	4.58	0.3	35.2
RHINELANDER	1.04	1929	12.0	1958					0.44	4.05	1.8	62.4
STEVENS POINT	1.44	2010	6.0	1914					0.50	4.29	0.6	43.3
STURGEON BAY	1.85	1958	5.0	1914,1985					0.49	5.33	0.8	49.1
WAUSAU	0.58	1929	8.5	1914					0.46	4.16	1.1	56.4
WISCONSIN RAPIDS	1.17	2010	5.9	1914					0.50	4.32	0.5	46.7

## APRIL 6


## APRIL 7

					REC			REC				
	REC		REC		LOW			HIGH				NORMAL
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	80	1991	7	1982	22	1923	53	1991		47	27	37
APPLETON	79	1991	15	1936,2003	25	1972	57	1991		51	32	42
GREEN BAY	81	1991	16	1914,1936,1972	24	1923,1972	54	1991		50	31	40
MANITOWOC	80	1991	16	1982	27	1902,2003	54	1991		47	33	40
MARSHFIELD	82	1991	7	1936	25	1920	56	1991		51	31	41
MERRILL	81	1991	2	1982	24	1920	51	1921		50	27	38
OSHKOSH	80	1991	14	1982	28	1972	58	1921,1991		53	32	42
RHINELANDER	80	1931,1991	5	1936,1977	23	2007	52	1921		49	27	38
STEVENS POINT	85	1991	7	1982	28	1979	56	1991		51	30	41
STURGEON BAY	83	1991	13	1979,1982	26	1936	48	1921		48	30	39
WAUSAU	82	1991	9	1982	22	1923	57	1991		51	30	40
WISCONSIN RAPIDS	81	1991	2	1982	23	1928	57	1991		52	30	41

	REC		REC									NORMAL
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.40	1929	6.0	1933					0.45	3.11	1.0	50.7
APPLETON	1.40	1929	3.5	1907					0.64	4.67	0.9	42.3
GREEN BAY	1.16	1919,1929	3.5	1923					0.56	4.65	1.0	49.3

MANITOWOC	1.50	1929	5.0	1907					0.66	5.58	0.4	42.5
MARSHFIELD	1.66	1919	7.0	1928					0.55	4.04	1.1	48.8
MERRILL	1.29	1932	7.5	1907					0.56	4.27	1.3	48.5
OSHKOSH	1.13	1929	2.5	1928					0.63	4.67	0.4	35.3
RHINELANDER	0.90	2001	5.0	1923					0.52	4.13	2.1	62.7
STEVENS POINT	1.55	1929	6.0	1923					0.59	4.38	0.6	43.3
STURGEON BAY	0.93	1948	4.0	1928					0.58	5.42	0.9	49.2
WAUSAU	1.32	1919	8.0	1907					0.54	4.24	1.2	56.5
WISCONSIN RAPIDS	1.26	1954	8.0	1907					0.60	4.42	0.6	46.8

## APRIL 7


## APRIL 8

					REC			REC				
	REC		REC		LOW			HIGH				NORMAL
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	72	1931	0	1972	22	1914	50	1970		48	28	38
APPLETON	71	1931	13	1997	22	1928	43	1970		51	33	42
GREEN BAY	71	1971	13	1950,1972	24	1914,1928	44	1970		50	31	41
MANITOWOC	71	2001	10	1979	21	1914	44	1999		48	33	40
MARSHFIELD	79	1991	9	1997	23	1914	46	1970		52	31	42
MERRILL	79	1991	2	1923	22	1928	43	1991		51	27	39
OSHKOSH	73	1931	10	1972	27	1928	51	1991		53	32	43
RHINELANDER	83	1931	2	1972	20	1914	40	1910		49	27	38
STEVENS POINT	81	1991	11	1914	25	1928	51	1970		51	31	41
STURGEON BAY	68	1934,1991	10	1914,1977	24	1914	45	1991		48	31	40
WAUSAU	76	1931	9	1997	25	1914,1928	43	1970		51	30	41
WISCONSIN RAPIDS	75	1930	3	1928	26	1939	49	1931		53	30	41
	REC		REC									NORMAL
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW
										MONTH	YEAR	MONTH SEASON
ANTIGO	1.00	1907	8.0	1928						0.53	3.19	1.1 50.8

APPLETON	1.15	2008	5.8	1907					0.74	4.77	1.0	42.4
GREEN BAY	1.11	1980	4.6	1908					0.65	4.74	1.2	49.5
MANITOWOC	1.08	1951	2.0	1928					0.76	5.68	0.4	42.5
MARSHFIELD	0.67	1980	2.0	1927					0.63	4.12	1.2	48.9
MERRILL	1.09	1991	4.2	1923					0.65	4.36	1.5	48.7
OSHKOSH	1.11	2008	2.0	2010					0.73	4.77	0.4	35.3
RHINELANDER	1.40	1991	2.0	1908					0.60	4.21	2.4	63.0
STEVENS POINT	0.91	1924	4.0	1928					0.68	4.47	0.7	43.4
STURGEON BAY	1.11	1907	1.0	1923					0.66	5.50	1.0	49.3
WAUSAU	1.54	1991	4.0	1907					0.62	4.32	1.4	56.7
WISCONSIN RAPIDS	0.91	1919	1.5	1973					0.69	4.51	0.6	46.8

## APRIL 8


## APRIL 9

					REC			REC				
	REC		REC		LOW			HIGH				NORMAL
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	74	1955	5	1923	24	1989	49	1945		49	28	38
APPLETON	76	1987	14	1928	26	1989	50	1945		52	33	42
GREEN BAY	76	1945,1955	12	1928	27	1989	54	1945		51	32	41
MANITOWOC	76	1887	11	1989	34	1909	50	1883,1955		48	34	41
MARSHFIELD	77	1987	5	1928	29	1997	49	1945		53	32	42
MERRILL	75	1955	8	1997	25	1989	49	1945		51	28	39
OSHKOSH	77	1945	14	1928,1997	31	1909	51	1945		54	33	43
RHINELANDER	76	1987	-3	1923	27	1973	50	1945		50	27	39
STEVENS POINT	76	1931	10	1928	28	1997	48	1945		52	31	42
STURGEON BAY	75	1955	10	1923	30	1909	45	1955		49	31	40
WAUSAU	75	1955,1987	10	1923,1928	24	1989	49	1945		52	31	41
WISCONSIN RAPIDS	84	1930	8	1928	28	1989	51	1945		54	31	41
	REC		REC									
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW

										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.39	2015		4.0	2008					0.60	3.26	1.2	50.9
APPLETON	1.20	1922		5.0	1973					0.84	4.87	1.1	42.5
GREEN BAY	0.81	1978		4.4	1973					0.73	4.82	1.3	49.6
MANITOWOC	1.05	1991		T	1921					0.87	5.79	0.4	42.5
MARSHFIELD	1.97	1922		6.0	1973					0.72	4.21	1.4	49.1
MERRILL	1.30	1980		1.2	1921					0.73	4.44	1.6	48.8
OSHKOSH	1.41	1953		4.0	1973					0.83	4.87	0.5	35.4
RHINELANDER	1.10	1922		1.9	2008					0.68	4.29	2.7	63.3
STEVENS POINT	1.79	1922		3.0	1973					0.78	4.57	0.8	43.5
STURGEON BAY	1.47	1922		2.5	1973					0.75	5.59	1.1	49.4
WAUSAU	1.81	2015		8.5	1973					0.70	4.40	1.6	56.9
WISCONSIN RAPIDS	1.80	1978		5.0	1973					0.78	4.60	0.7	46.9

**APRIL 9**

# APRIL 10

					REC		REC						
	REC		REC		LOW		HIGH				NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	81	1977	10	1909	28	1992	54	1945		49	29	39	
APPLETON	79	1977	14	1909	38	1913,1952, 2013	52	1945		52	34	43	
GREEN BAY	79	1977	18	1909	35	1894	61	1945		51	32	42	
MANITOWOC	82	1977	17	1909	35	1900	54	1955		48	34	41	
MARSHFIELD	82	1977	14	1928,1989	32	1952	54	1945		53	32	43	
MERRILL	78	1955	11	1997	30	1992	57	1945		52	28	40	
OSHKOSH	82	1977	15	1909	35	2013	56	1945		54	33	44	
RHINELANDER	82	1977	1	1909	30	1924	57	1945		50	28	39	
STEVENS POINT	81	1930	8	1997	32	1989	57	1930		52	32	42	
STURGEON BAY	77	1955	9	1909	34	1992	47	1955		49	31	40	
WAUSAU	81	1977	14	1909	33	1924	55	1945		52	31	42	
WISCONSIN RAPIDS	85	1977	11	1960	33	1929	57	1945		54	31	42	

	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	0.92	2011	4.8	2015					0.67	3.33	1.3	51.0
APPLETON	1.30	2008	2.8	1957					0.94	4.97	1.2	42.6
GREEN BAY	1.44	1953	8.0	1894					0.82	4.91	1.4	49.7
MANITOWOC	1.80	1879	3.0	1991					0.97	5.89	0.5	42.6
MARSHFIELD	1.21	1953	3.5	1992					0.81	4.30	1.5	49.2
MERRILL	1.14	1953	4.5	1992					0.81	4.52	1.8	49.0
OSHKOSH	1.27	2008	1.9	1973					0.93	4.97	0.5	35.4
RHINELANDER	1.20	1992	6.0	1992					0.77	4.38	2.9	63.5
STEVENS POINT	1.38	2011	1.0	1957					0.87	4.66	0.8	43.5
STURGEON BAY	1.45	1953	6.0	1973					0.84	5.68	1.2	49.5
WAUSAU	1.38	2011	5.2	1992					0.79	4.49	1.7	57.0
WISCONSIN RAPIDS	1.51	2011	1.5	1957					0.87	4.69	0.8	47.0

## APRIL 10


## APRIL 11

			REC		REC	LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	REC	YEAR(S)	LOW	MAX	YEAR(S)	MIN	YEAR(S)	HI	LO	ME	
ANTIGO	80	1977		14	1895,1975	30	1957	59	1977		50	29	39
APPLETON	81	1977		20	1957	32	1940	58	1945		53	34	43
GREEN BAY	82	1977		18	1973	33	1957	54	1945		52	32	42
MANITOWOC	83	1977		15	1973	35	1900	47	1945,2011		49	34	42
MARSHFIELD	82	1977		12	1957	33	1957	55	1945		54	33	43
MERRILL	81	1977		11	1940	33	1957,1990	60	1945		52	28	40
OSHKOSH	83	1977		20	1959	34	1957	58	1945		55	34	44
RHINELANDER	80	1977		6	1952	29	1939	55	1945		51	28	40
STEVENS POINT	82	1977		18	1952	32	2007	59	1977		53	32	43
STURGEON BAY	81	1977		12	1973	28	1970	43	1977,2005		50	32	41
WAUSAU	82	1977		15	1952	32	1940,1990	57	1977		53	32	42

WISCONSIN RAPIDS	85	1977	16	1952	30	1940	58	1977		55	32	42	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.98	1965	4.0	2007						0.74	3.40	1.4	51.1
APPLETON	1.16	2001	3.2	2007						1.04	5.07	1.3	42.7
GREEN BAY	1.21	2001	3.2	2007						0.91	5.00	1.6	49.9
MANITOWOC	1.46	2001	4.5	1900						1.08	6.00	0.5	42.6
MARSHFIELD	2.33	1922	9.0	1922						0.90	4.39	1.6	49.3
MERRILL	0.90	1965	5.0	1922,1993						0.90	4.61	1.9	49.1
OSHKOSH	1.00	1900	3.0	1993						1.03	5.07	0.5	35.4
RHINELANDER	1.09	2002	7.5	2008						0.86	4.47	3.1	63.7
STEVENS POINT	1.26	1922	7.0	1929						0.97	4.76	0.9	43.6
STURGEON BAY	1.25	2001	5.0	2007						0.94	5.78	1.3	49.6
WAUSAU	1.49	1922	7.9	1922						0.88	4.58	1.9	57.2
WISCONSIN RAPIDS	1.75	1922	4.0	2007						0.97	4.79	0.8	47.0

## APRIL 11


## APRIL 12

					REC			REC				
	REC		REC		LOW			HIGH			NORMAL	
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	79	1977	10	1907	30	1950	53	1895		50	29	40
APPLETON	78	1968,1977	17	1939,1990	29	1950	52	1968,1998		53	35	44
GREEN BAY	80	1977	17	1939	29	1950	54	1968		52	33	42
MANITOWOC	81	1977	12	1939	32	1939	45	1955		49	35	42
MARSHFIELD	80	1977	13	1939,1957	31	1950	52	1941		54	33	44
MERRILL	80	1977	11	1950	32	1939	52	1968		53	29	41
OSHKOSH	82	1977	17	1939	32	1997	55	1968		55	34	45
RHINELANDER	77	1931,1968	8	1940	22	1950	54	1968		52	29	40
STEVENS POINT	83	1977	14	1957	32	1950	55	1968		53	33	43

STURGEON BAY	80	1977	16	1939,1940	30	1934	44	1955,1971,2002		50	32	41
WAUSAU	78	1931	14	1939	26	1950	51	1968,2006		53	32	43
WISCONSIN RAPIDS	81	1941	13	1939	30	1928	58	1968		55	32	43
	REC		REC									
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW	
										MONTH	YEAR	MONTH SEASON
ANTIGO	0.88	1974	8.0	1922						0.82	3.48	1.5 51.2
APPLETON	0.72	1951	3.5	1991						1.14	5.17	1.4 42.8
GREEN BAY	0.85	1900	6.5	1900						1.00	5.09	1.7 50.0
MANITOWOC	0.95	1979	2.0	1907						1.20	6.12	0.6 42.7
MARSHFIELD	1.03	2001	3.0	1991						0.99	4.48	1.7 49.4
MERRILL	1.30	2001	8.2	1929						0.99	4.70	2.1 49.3
OSHKOSH	1.72	2014	2.1	1997						1.14	5.18	0.6 35.5
RHINELANDER	0.74	1977	2.5	1922, 2013						0.93	4.54	3.3 63.9
STEVENS POINT	1.21	2001	8.0	1900						1.06	4.85	1.0 43.7
STURGEON BAY	1.60	1965	4.0	1907						1.03	5.87	1.4 49.7
WAUSAU	0.99	1968	4.4	1929						0.97	4.67	2.1 57.4
WISCONSIN RAPIDS	0.75	1984	5.0	1991						1.06	4.88	0.9 47.1

## APRIL 12

## APRIL 13

					REC			REC				
	REC		REC		LOW			HIGH				
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	79	1899	11	1950	31	1992	59	1941		51	30	40
APPLETON	77	1938	19	1950	30	1943	55	1931		54	35	44
GREEN BAY	78	1938	18	1950	30	1907,1943	61	1941		53	33	43
MANITOWOC	76	1941	18	1885	32	1907	52	1931		50	35	42
MARSHFIELD	76	1930,1941,1998	15	1950	33	1992	52	1941		55	34	44
MERRILL	79	1930	12	1907	25	1928	54	1941		53	29	41
OSHKOSH	80	1899,1938	17	1950	34	1907	61	1941		56	34	45

RHINELANDER	74	1931	11	1940	25	1943	57	1941		52	29	41
STEVENS POINT	82	1899	15	1950	34	1907	56	1941		54	33	43
STURGEON BAY	76	1941	16	1940	30	1907	48	1998		51	32	42
WAUSAU	77	1938	14	1950	28	1943	57	1941		54	32	43
WISCONSIN RAPIDS	80	1938	14	1989	27	1928	58	1941		56	32	43
	REC		REC									NORMAL
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW	
										MONTH	YEAR	MONTH SEASON
ANTIGO	1.10	1968	4.0	1952						0.90	3.56	1.7 51.4
APPLETON	1.51	2014	5.0	1907						1.25	5.28	1.5 42.9
GREEN BAY	1.20	1952	1.4	1934						1.10	5.19	1.8 50.1
MANITOWOC	1.47	1952	1.0	1907,1933,1962						1.32	6.24	0.6 42.7
MARSHFIELD	0.98	1968	4.0	1952						1.09	4.58	1.8 49.5
MERRILL	1.54	1938	2.6	1952						1.08	4.79	2.2 49.4
OSHKOSH	2.16	2014	0.5	1952						1.24	5.28	0.6 35.5
RHINELANDER	0.87	1972	4.0	1952						1.02	4.63	3.5 64.1
STEVENS POINT	0.80	1984	4.0	1991						1.16	4.95	1.1 43.8
STURGEON BAY	1.05	2014	2.0	1907						1.12	5.96	1.5 49.8
WAUSAU	1.32	1941	3.9	1952						1.06	4.76	2.2 57.5
WISCONSIN RAPIDS	0.96	1955	3.0	1952						1.16	4.98	0.9 47.1

## APRIL 13


## APRIL 14

					REC			REC				
	REC		REC		LOW			HIGH				NORMAL
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	83	2003	14	2013	24	1928	58	1941		51	30	41
APPLETON	84	2003	17	1907	29	1928	51	1941		54	35	45
GREEN BAY	81	2003	16	1928	27	1928	61	1941		53	33	43
MANITOWOC	79	2006	19	1907	30	1928	56	1941		50	35	43
MARSHFIELD	85	2003	17	1928,1943	26	1928	56	1941		55	34	45

MERRILL	85	2003	12	1907	29	1928	50	1938		54	30	42
OSHKOSH	84	2003	15	1907	29	1928	62	1941		56	35	45
RHINELANDER	83	2003	2	2014	28	1928,1943	52	1941,2003		53	29	41
STEVENS POINT	86	2003	17	1907	30	1928	59	1941		54	33	44
STURGEON BAY	78	2006	18	1907	33	1943	54	1941		51	33	42
WAUSAU	84	2003	14	1907,1928	24	1928	52	2003		54	33	44
WISCONSIN RAPIDS	85	2003	-4	1928	34	2014	58	1941		56	33	44
	REC		REC									
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW	
										MONTH	YEAR	MONTH
												SEASON
ANTIGO	1.13	1941	8.0	1928						0.97	3.63	1.8
APPLETON	1.61	2014	3.0	1928						1.35	5.38	1.6
GREEN BAY	0.99	1987	6.2	1928						1.19	5.28	1.9
MANITOWOC	1.55	1974	9.5	1928						1.43	6.35	0.7
MARSHFIELD	1.24	1938	7.0	1928						1.19	4.68	2.0
MERRILL	1.04	1955	8.6	1928						1.17	4.88	2.4
OSHKOSH	1.22	1974	5.0	1928						1.35	5.39	0.6
RHINELANDER	1.20	1938	4.5	2014						1.11	4.72	3.7
STEVENS POINT	1.58	2014	11.0	1928						1.27	5.06	1.1
STURGEON BAY	1.11	1991	3.8	1928						1.22	6.06	1.6
WAUSAU	0.94	1909	9.0	1909						1.15	4.85	2.4
WISCONSIN RAPIDS	1.20	2014	3.2	2014						1.26	5.08	1.0

## APRIL 14

## APRIL 15

					REC			REC				
	REC		REC		LOW		HIGH					
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	83	2002	3	1928,2014	29	2014	52	1942		52	31	41
APPLETON	86	2002	11	1928	26	1935	55	1910,1976		55	36	45
GREEN BAY	84	1896,2002	14	1928	28	1935	58	2010		54	34	44

MANITOWOC	84	2003	15	1928	34	1904,2014	55	1942		51	36	43
MARSHFIELD	87	2002	3	1928	32	2014	57	1938		56	34	45
MERRILL	87	2002	2	1928	28	2014	51	1942		54	30	42
OSHKOSH	86	2002	10	1928	33	2014	57	1896		56	35	46
RHINELANDER	83	2002	-3	1928	28	2014	53	1942		53	30	42
STEVENS POINT	90	2002	0	1928	32	2014	56	1910		55	34	44
STURGEON BAY	79	2010	15	1928	25	1935	53	1976		52	33	42
WAUSAU	85	2002	5	1928	26	1935	53	1976,2010,2012		55	33	44
WISCONSIN RAPIDS	89	2002	12	2014	26	1935	56	2010		57	33	44
	REC		REC									
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW	
										MONTH	YEAR	MONTH SEASON
ANTIGO	1.92	2003	14.0	1907						1.05	3.71	1.9 51.6
APPLETON	1.31	1993	12.0	1904						1.45	5.48	1.7 43.1
GREEN BAY	0.98	1993	10.0	1904						1.28	5.37	2.0 50.3
MANITOWOC	1.33	1884	7.0	1904,1923						1.55	6.47	0.7 42.8
MARSHFIELD	1.15	2003	4.0	1993						1.28	4.77	2.1 49.8
MERRILL	1.43	2003	4.5	1993						1.26	4.97	2.5 49.7
OSHKOSH	1.32	1993	10.0	1904						1.45	5.49	0.7 35.6
RHINELANDER	1.05	1924	4.0	1994						1.19	4.80	3.9 64.5
STEVENS POINT	1.32	1938	4.0	1904,1923,1996						1.37	5.16	1.2 43.9
STURGEON BAY	1.48	2003	5.0	1949						1.32	6.16	1.7 50.0
WAUSAU	1.69	1973	9.2	1993						1.24	4.94	2.5 57.8
WISCONSIN RAPIDS	1.31	1973	6.0	1993						1.36	5.18	1.0 47.2

## APRIL 15

## APRIL 16

					REC		REC					
	REC		REC		LOW		HIGH					
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	86	1896	4	1904	32	1951,2011	59	1976		53	31	42

APPLETON	84	2002	15	1904	33	1983,1993	66	2002		55	36	46
GREEN BAY	84	1896	14	1904	31	1921	62	2002		54	34	44
MANITOWOC	79	1942	14	1904	33	1921	60	2002		51	36	43
MARSHFIELD	83	2002	20	1962	32	1951	59	2002		56	35	45
MERRILL	85	2002	12	2014	32	1951,2014	63	2002		55	31	43
OSHKOSH	86	1896	14	1904	34	2001	63	2002		57	36	46
RHINELANDER	84	2002	9	2014	29	1983	65	2002		54	30	42
STEVENS POINT	84	2002	17	1962	34	1919	64	2002		55	34	45
STURGEON BAY	75	1942	15	1923	33	1921,1993	56	2002		52	33	43
WAUSAU	84	2002	7	1904	34	1921,1951,2000,2001	62	2002		55	34	44
WISCONSIN RAPIDS	85	1977,2002	12	1904	30	1904	66	2002		57	33	45
	REC		REC									
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW	
										MONTH	YEAR	MONTH SEASON
ANTIGO	2.06	1973	2.5	2011						1.13	3.79	2.0 51.7
APPLETON	1.54	1945	2.5	1961						1.56	5.59	1.8 43.2
GREEN BAY	1.83	1945	2.1	1998						1.38	5.47	2.1 50.4
MANITOWOC	1.48	2011	6.0	1879						1.67	6.59	0.7 42.8
MARSHFIELD	1.42	1945	2.0	1961,1993						1.38	4.87	2.1 49.8
MERRILL	1.20	1973	2.0	1928,1998						1.35	5.06	2.7 49.9
OSHKOSH	1.77	1967	7.5	1897						1.54	5.58	0.7 35.6
RHINELANDER	1.65	2003	3.7	2014						1.28	4.89	4.1 64.7
STEVENS POINT	1.50	1945	4.0	1919						1.47	5.26	1.3 44.0
STURGEON BAY	1.46	1993	3.0	1943						1.41	6.25	1.8 50.1
WAUSAU	1.65	2003	5.8	1998						1.34	5.04	2.6 57.9
WISCONSIN RAPIDS	1.44	1945	5.7	1961						1.46	5.28	1.0 47.2

## APRIL 16


## APRIL 17

					REC		REC					
	REC		REC		LOW		HIGH					
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME

ANTIGO	78	1964	14	1983	32	2000	57	1976		53	32	42	
APPLETON	83	1958	22	1983	36	1907,1983	57	1976		56	37	46	
GREEN BAY	83	1958	21	1983	33	1983	61	1976		55	34	45	
MANITOWOC	82	1958	22	1983	37	1926	50	1931,2008		51	36	44	
MARSHFIELD	77	1964	20	1930	34	2003	58	1925		57	35	46	
MERRILL	80	1976	11	1983	32	1907	60	1964		55	31	43	
OSHKOSH	83	1958	17	1983	35	1983	59	1976		57	36	47	
RHINELANDER	80	1964	12	1928,1983	32	2000,2003	58	1958		54	31	43	
STEVENS POINT	83	1964	12	1983	33	2000	62	1964		56	35	45	
STURGEON BAY	82	1958	18	1928	33	1993	47	1964,2002		52	34	43	
WAUSAU	78	1958	17	1983	33	1907,2003	58	1976		56	34	45	
WISCONSIN RAPIDS	82	1958	17	1983	36	2000	57	1976		58	34	45	
	REC		REC										NORMAL
	PCPN	YEAR(S)	SNOW	YEAR(S)									PCPN SNOW
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.17	1967	2.0	1965						1.22	3.88	2.0	51.7
APPLETON	1.45	1959	2.0	1960,1965						1.66	5.69	1.8	43.2
GREEN BAY	1.03	1968	2.7	1888						1.47	5.56	2.2	50.5
MANITOWOC	1.30	1881	3.0	1917						1.79	6.71	0.8	42.9
MARSHFIELD	1.45	1939	3.0	1965						1.47	4.96	2.2	49.9
MERRILL	1.73	1939	3.2	2014						1.44	5.15	2.8	50.0
OSHKOSH	1.15	1922	3.1	1965						1.65	5.69	0.7	35.6
RHINELANDER	1.46	1959	7.5	2014						1.36	4.97	4.3	64.9
STEVENS POINT	1.43	1900	2.0	1965						1.57	5.36	1.3	44.0
STURGEON BAY	1.51	1967	2.8	1965						1.50	6.34	1.8	50.1
WAUSAU	1.36	1976	2.0	1949,1965						1.43	5.13	2.8	58.1
WISCONSIN RAPIDS	0.80	1910	4.0	1949						1.56	5.38	1.1	47.3

**APRIL 17**

**APRIL 18**

	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	82	1985	15	1983	34	1953	55	1976		54	32	43	
APPLETON	83	1915,1994	22	1910,1983	34	1953	56	1976		56	37	47	
GREEN BAY	83	1994	17	1960	36	1953	56	1914		55	35	45	
MANITOWOC	81	1915	23	1983	35	1926	51	1938,2009		52	37	44	
MARSHFIELD	85	1987	19	1930	36	1967	57	1925		57	35	46	
MERRILL	83	1987	12	1983	34	1953	52	1976		56	31	44	
OSHKOSH	82	1915	17	1983	34	1953	57	1976		58	36	47	
RHINELANDER	85	1987	10	1926	33	1918,2003	52	1914,1915,1977		55	31	43	
STEVENS POINT	83	1915	18	1983	32	1953	57	1906		56	35	46	
STURGEON BAY	77	1915,1958	15	1928	36	1983	47	1938		53	34	44	
WAUSAU	83	1987	16	1904	31	1953	55	1977		56	35	45	
WISCONSIN RAPIDS	88	1985	16	1983	31	1928	61	1985		58	34	46	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	2.86	1976	6.0	1951						1.30	3.96	2.1	51.8
APPLETON	1.37	1941	4.0	1940,1947						1.76	5.79	1.9	43.3
GREEN BAY	1.04	1995	1.2	1940						1.56	5.65	2.3	50.6
MANITOWOC	1.15	1925	4.0	1947						1.90	6.82	0.8	42.9
MARSHFIELD	1.31	1976	0.3	1965						1.57	5.06	2.3	50.0
MERRILL	1.67	1976	3.0	1951						1.54	5.25	2.9	50.1
OSHKOSH	1.25	1900	7.0	1947						1.75	5.79	0.8	35.7
RHINELANDER	3.05	2002	4.0	1928						1.45	5.06	4.5	65.1
STEVENS POINT	1.26	1930	6.0	1898						1.67	5.46	1.4	44.1
STURGEON BAY	1.50	1995	2.5	1940						1.60	6.44	1.9	50.2
WAUSAU	1.25	2008	3.0	1951						1.52	5.22	2.9	58.2
WISCONSIN RAPIDS	1.17	2008	T	1910						1.66	5.48	1.1	47.3

APRIL 18

APRIL 19

					REC		REC							
	REC		REC		LOW		HIGH						NORMAL	
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME		
ANTIGO	78	1915	11	1897	32	1928	53	1938		54	32	43		
APPLETON	83	1985	20	1918	35	1928	56	1915,1927		57	38	47		
GREEN BAY	80	1915,2005	17	1897	34	1904	53	1977		56	35	45		
MANITOWOC	80	1915	18	1897	36	1904	58	1915		52	37	45		
MARSHFIELD	86	1915	17	1918	34	2013	59	1985		58	36	47		
MERRILL	83	1911	14	1983	31	1928	58	1948		56	32	44		
OSHKOSH	84	1985	17	1983	35	1897	57	1889,1985		58	37	47		
RHINELANDER	79	1915	14	1947	27	1928	51	1987		56	31	43		
STEVENS POINT	86	1985	17	1897	35	2011,2013	57	1985		57	35	46		
STURGEON BAY	79	1915	19	1926	37	1993,2011	55	1915		53	34	44		
WAUSAU	81	1985	15	1897	30	1914	53	1938,1977,1987		57	35	46		
WISCONSIN RAPIDS	86	1985	12	1947	36	2011	64	1985		59	35	46		
	REC		REC										NORMAL	
	PCPN	YEAR(S)	SNOW	YEAR(S)									PCPN	SNOW
										MONTH	YEAR	MONTH	SEASON	
ANTIGO	0.94	1972	9.2	1898						1.37	4.03	2.2	51.9	
APPLETON	1.33	1957	9.4	2011						1.86	5.89	2.0	43.4	
GREEN BAY	1.40	1898	9.9	2011						1.65	5.74	2.4	50.7	
MANITOWOC	1.64	1882	2.0	1898,1922						2.01	6.93	0.8	42.9	
MARSHFIELD	1.30	2005	2.0	1924,1982						1.66	5.15	2.4	50.1	
MERRILL	1.04	2005	0.8	1928						1.63	5.34	3.0	50.2	
OSHKOSH	1.90	1898	4.6	2011						1.84	5.88	0.8	35.7	
RHINELANDER	0.74	1963	4.0	1925						1.53	5.14	4.7	65.3	
STEVENS POINT	1.43	2005	4.0	2011						1.77	5.56	1.5	44.2	
STURGEON BAY	1.96	1925	5.0	2011						1.69	6.53	2.0	50.3	
WAUSAU	1.02	2005	2.2	1922						1.61	5.31	3.0	58.3	
WISCONSIN RAPIDS	1.27	1957	6.0	2011						1.76	5.58	1.1	47.3	

APRIL 19

## APRIL 20

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	82	1985	15	1904	35	1922,2009	56	1957		55	33	44	
APPLETON	85	1985,1987	23	1918	37	1982	62	1987		57	38	48	
GREEN BAY	84	1987	20	1904	36	1982	59	1973		56	36	46	
MANITOWOC	77	1889,1957	23	1897	35	1904	52	1952		53	37	45	
MARSHFIELD	85	1987	19	1922,1928	37	1922	57	1973		58	36	47	
MERRILL	86	1987	14	1928	37	1982,2009	56	1973		57	32	45	
OSHKOSH	84	1985	18	1904	37	1904	61	1957		58	37	48	
RHINELANDER	85	1987	5	1928	34	1982,2009,2013	59	1987		56	32	44	
STEVENS POINT	86	1985	16	1897	38	1970,2009	61	1985		57	36	47	
STURGEON BAY	78	1906	20	1907	35	1982	52	1952		54	35	44	
WAUSAU	86	1987	14	1907	37	1922,1970,1982	60	1985		57	35	46	
WISCONSIN RAPIDS	89	1987	17	1904	33	1927	60	1985		59	35	46	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.56	1916	4.0	1925,1982,2012						1.45	4.11	2.3	52.0
APPLETON	1.35	2000	3.0	1993						1.96	5.99	2.1	43.5
GREEN BAY	1.51	2000	3.4	1893						1.73	5.82	2.4	50.7
MANITOWOC	1.53	2012	T	1924						2.12	7.04	0.8	42.9
MARSHFIELD	1.16	1968	1.0	2012						1.76	5.25	2.5	50.2
MERRILL	0.97	1966	5.0	1925						1.72	5.43	3.2	50.4
OSHKOSH	1.00	1968	1.0	1924						1.93	5.97	0.8	35.7
RHINELANDER	1.04	1916	6.9	2009						1.61	5.22	4.9	65.5
STEVENS POINT	1.37	1957	1.1	1924						1.87	5.66	1.5	44.2
STURGEON BAY	1.63	1970	2.0	1982						1.78	6.62	2.0	50.3
WAUSAU	1.27	2000	2.4	1925						1.70	5.40	3.2	58.5
WISCONSIN RAPIDS	1.83	2000	0.5	1966						1.86	5.68	1.1	47.3

APRIL 20

**APRIL 21**

	REC		REC		LOW		HIGH					
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	83	1985	17	1982	33	1982	57	1973		55	33	44
APPLETON	87	1985	25	1908,1936	36	1918,1927	61	1985		58	38	48
GREEN BAY	82	1985	21	1959	37	1918,1924	62	1985		57	36	46
MANITOWOC	80	1926	26	1904	38	2013	52	1949		53	38	45
MARSHFIELD	88	1980	22	1988	40	1936,1995	59	1973		59	37	48
MERRILL	82	1985	14	1982	34	1927	59	1973		57	33	45
OSHKOSH	83	1926	22	1904	39	1918	59	1985		59	38	48
RHINELANDER	89	1987	15	1928	31	1927	59	1985		57	32	44
STEVENS POINT	87	1987	18	1904	37	1907	57	1985		58	36	47
STURGEON BAY	78	1926	21	1959	35	1936,1937	51	1926,1949		54	35	45
WAUSAU	87	1980	18	1904	33	1924	57	1945,1985		58	36	47
WISCONSIN RAPIDS	86	1980	19	1982	38	1937	58	1985		60	35	47
	REC		REC									
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW	
										MONTH	YEAR	MONTH SEASON
ANTIGO	1.10	1912	4.0	2002						1.53	4.19	2.4 52.1
APPLETON	0.98	1972	2.5	2002						2.06	6.09	2.1 43.5
GREEN BAY	1.27	1937	1.0	1934						1.82	5.91	2.5 50.8
MANITOWOC	1.41	1937	3.0	1927						2.23	7.15	0.8 42.9
MARSHFIELD	1.51	1954	6.0	1924						1.85	5.34	2.5 50.2
MERRILL	1.14	1964	5.0	2002						1.81	5.52	3.3 50.5
OSHKOSH	1.80	1937	2.0	1924,2002						2.02	6.06	0.8 35.7
RHINELANDER	1.42	1912	3.3	2009						1.70	5.31	5.1 65.7
STEVENS POINT	1.26	1924	7.0	1924						1.97	5.76	1.6 44.3
STURGEON BAY	1.01	1977	4.0	1909,2002						1.87	6.71	2.1 50.4
WAUSAU	1.31	1964	7.0	2002						1.79	5.49	3.3 58.6
WISCONSIN RAPIDS	1.13	1964	2.0	2002						1.97	5.79	1.2 47.4

## APRIL 21


## APRIL 22

					REC			REC					
	REC		REC		LOW			HIGH				NORMAL	
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	83	1980	18	1986	33	2015	57	1985		56	34	45	
APPLETON	89	1980	20	1904	38	1931	61	1985		58	39	49	
GREEN BAY	89	1980	24	1956,1986	38	1927,1931	61	1985		57	36	47	
MANITOWOC	90	1980	25	1936	37	1927	50	1926		53	38	46	
MARSHFIELD	91	1980	20	1930	37	1927	58	1925		59	37	48	
MERRILL	86	1925	16	1986	35	1931	56	1913		58	33	45	
OSHKOSH	91	1980	21	1936	39	1927	59	1985		59	38	49	
RHINELANDER	89	1980	18	1927,1936	32	2015	57	2007		57	32	45	
STEVENS POINT	86	1980	22	1905	40	1951,2015	59	1985		58	37	47	
STURGEON BAY	84	1908	15	1909	38	1930	51	1946		55	35	45	
WAUSAU	88	1980	20	1986	36	1931	61	1985		58	36	47	
WISCONSIN RAPIDS	92	1980	16	1936	41	1951	60	1985		60	36	47	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.01	1902	3.0	1972						1.61	4.27	2.4	52.1
APPLETON	1.21	1921	3.1	1963						2.15	6.18	2.2	43.6
GREEN BAY	1.20	1921	2.9	1963						1.91	6.00	2.6	50.9
MANITOWOC	2.18	1878	0.5	1963						2.33	7.25	0.8	42.9
MARSHFIELD	1.19	1920	0.8	2013						1.95	5.44	2.6	50.3
MERRILL	1.12	1910	2.5	1988						1.90	5.61	3.4	50.6
OSHKOSH	1.10	1921	2.0	1963						2.11	6.15	0.8	35.7
RHINELANDER	1.24	1972	6.5	1972						1.79	5.40	5.3	65.9
STEVENS POINT	2.00	1910	3.5	2002						2.07	5.86	1.6	44.3
STURGEON BAY	1.64	1921	1.2	1937						1.97	6.81	2.1	50.4
WAUSAU	1.13	1920	5.0	1963						1.89	5.59	3.4	58.7

WISCONSIN RAPIDS	1.10	1999	6.0	1963						2.07	5.89	1.2	47.4
------------------	------	------	-----	------	--	--	--	--	--	------	------	-----	------

## APRIL 22


## APRIL 23

					REC			REC					
	REC		REC		LOW			HIGH					NORMAL
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	87	1980	18	1909	30	1910	60	1985		56	34	45	
APPLETON	83	1915	23	1910	36	1910	61	1985		59	39	49	
GREEN BAY	82	1925	18	1956	32	1910	61	1913		58	37	47	
MANITOWOC	83	1980	25	1930	38	1887	53	1946		54	38	46	
MARSHFIELD	84	1980	19	1930	36	1967	57	1925		60	37	48	
MERRILL	88	1980	20	1910	31	1910	59	1985		58	33	46	
OSHKOSH	85	1915	22	1930	38	1910	59	1985		60	38	49	
RHINELANDER	84	1925	16	1909	32	1918	56	1913		58	33	45	
STEVENS POINT	88	1980	21	1909	36	1910	59	1985		59	37	48	
STURGEON BAY	76	1942	18	1956	36	1910	49	1913		55	36	45	
WAUSAU	83	1925	20	1909	37	1909,1967	56	1985		59	37	48	
WISCONSIN RAPIDS	86	1925	18	1936	30	1910	59	1960		61	36	48	
	REC		REC										NORMAL
	PCPN	YEAR(S)	SNOW	YEAR(S)									PCPN SNOW
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.12	1975	3.0	1963						1.70	4.36	2.5	52.2
APPLETON	0.74	1910	8.0	1910						2.25	6.28	2.2	43.6
GREEN BAY	0.85	1944	8.2	1910						2.00	6.09	2.6	50.9
MANITOWOC	1.19	1944	8.0	1910						2.44	7.36	0.9	43.0
MARSHFIELD	1.46	1981	2.0	1963,1988						2.05	5.54	2.7	50.4
MERRILL	1.74	1975	5.0	1910						2.00	5.71	3.5	50.7
OSHKOSH	1.37	1919	10.0	1910						2.20	6.24	0.8	35.7
RHINELANDER	1.29	1975	3.0	1910						1.88	5.49	5.4	66.0
STEVENS POINT	0.84	1975	3.0	1963						2.17	5.96	1.7	44.4

STURGEON BAY	1.00	1988	4.0	1910,1963,1988						2.06	6.90	2.2	50.5
WAUSAU	0.95	1975	2.0	1910						1.99	5.69	3.5	58.8
WISCONSIN RAPIDS	0.97	1985	2.0	1910						2.17	5.99	1.2	47.4

## APRIL 23


## APRIL 24

					REC			REC					
	REC		REC		LOW			HIGH				NORMAL	
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	84	1990	20	1918	31	1910	59	1925		57	34	45	
APPLETON	86	1994	24	1918	38	1909	60	1985,1990		59	40	49	
GREEN BAY	86	1990	21	1956	36	1910	62	1915		58	37	47	
MANITOWOC	82	1994	23	1888	37	2005	61	1946		54	39	46	
MARSHFIELD	86	2009	17	1956	38	1928	66	1915		60	38	49	
MERRILL	85	1915	18	1974	31	1910	59	1913		59	34	46	
OSHKOSH	86	1915,1990	22	1956	38	1892	62	1925		60	39	49	
RHINELANDER	85	1915	15	1909	36	1919	58	1990		58	33	46	
STEVENS POINT	88	1915	18	1956	39	1910	61	1925		59	37	48	
STURGEON BAY	78	1925,1994	20	1907	37	1910	51	1994		56	36	46	
WAUSAU	84	1990	20	1956	36	1968	59	1913,1925,1990		59	37	48	
WISCONSIN RAPIDS	86	1939	16	1956	34	1968	62	1915		61	37	48	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.31	2009	3.0	1910						1.79	4.45	2.6	52.3
APPLETON	1.12	1976	2.0	1907						2.34	6.37	2.3	43.7
GREEN BAY	1.75	1994	4.0	1907						2.09	6.18	2.7	51.0
MANITOWOC	1.40	1955	2.0	1907						2.54	7.46	0.9	43.0
MARSHFIELD	1.57	1926	1.0	1927						2.16	5.65	2.7	50.4
MERRILL	1.08	1994	3.0	1910						2.10	5.81	3.6	50.8
OSHKOSH	1.29	1926	5.0	1909						2.29	6.33	0.9	35.8

RHINELANDER	1.13	2009	1.4	2014						1.98	5.59	5.5	66.1
STEVENS POINT	1.25	1926	2.0	1927						2.28	6.07	1.7	44.4
STURGEON BAY	1.62	1907	6.0	1907						2.16	7.00	2.2	50.5
WAUSAU	1.83	1994	1.0	1907,1909						2.09	5.79	3.6	58.9
WISCONSIN RAPIDS	0.97	1908	3.8	1910						2.28	6.10	1.2	47.4

## APRIL 24


## APRIL 25

					REC			REC					
	REC		REC		LOW			HIGH					NORMAL
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	84	1990	20	1919	35	1950	58	1915		57	35	46	
APPLETON	86	1990	27	1907,1918	35	1907	62	1990		60	40	50	
GREEN BAY	88	1990	25	1967	34	1907	63	1915		59	37	48	
MANITOWOC	85	1990	25	1890	37	1907	57	1962		55	39	47	
MARSHFIELD	84	1948,1990	20	1934	37	1965	59	1921		60	38	49	
MERRILL	84	1990	20	1919	34	1932	63	1948		59	34	47	
OSHKOSH	85	1915,1990	23	1934	35	1907	60	1921,1990		60	39	50	
RHINELANDER	84	1990	19	1926,1972	30	1950	58	1948		58	34	46	
STEVENS POINT	88	1990	22	1918	38	1965	60	1921		60	38	49	
STURGEON BAY	85	1990	24	1905,1967	38	1907,1910	54	1990		56	36	46	
WAUSAU	85	1990	23	1934	37	1917	61	1990		60	37	48	
WISCONSIN RAPIDS	85	1948	14	1934	37	1965	60	1921		62	37	49	
	REC		REC										NORMAL
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.95	1924	2.0	1917, 2013						1.89	4.55	2.6	52.3
APPLETON	1.96	1929	5.0	1907						2.44	6.47	2.3	43.7
GREEN BAY	1.86	1994	2.0	1907						2.18	6.27	2.7	51.0
MANITOWOC	2.63	1929	2.0	1917						2.65	7.57	0.9	43.0
MARSHFIELD	1.40	1932	3.0	1917						2.27	5.76	2.8	50.5

MERRILL	1.48	2009	4.3	1917						2.20	5.91	3.7	50.9
OSHKOSH	1.78	1929	T	1937						2.39	6.43	0.9	35.8
RHINELANDER	0.70	1950	5.3	1909						2.08	5.69	5.6	66.2
STEVENS POINT	1.56	1994	6.0	1917						2.39	6.18	1.8	44.5
STURGEON BAY	1.66	1994	3.0	1917						2.26	7.10	2.3	50.6
WAUSAU	1.21	1965	4.9	1917						2.20	5.90	3.7	59.0
WISCONSIN RAPIDS	1.13	1929	0.5	1965						2.40	6.22	1.2	47.4

## APRIL 25


## APRIL 26

					REC			REC					
	REC		REC		LOW			HIGH					NORMAL
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	84	1962	23	1926	34	2008	57	1948,1990		58	35	46	
APPLETON	85	1962,1990	23	1907	37	1950	62	1990		60	40	50	
GREEN BAY	87	1962	24	1958	37	1966	61	1990		59	38	48	
MANITOWOC	86	1962	26	1887,1890,1926	39	1907	51	1990		55	39	47	
MARSHFIELD	83	1915,1962	23	1926,1933	34	1950	58	1948		61	38	50	
MERRILL	85	1915	20	1926	36	2008	63	1990		60	35	47	
OSHKOSH	86	1915	23	1926	39	1931	59	1899		61	39	50	
RHINELANDER	85	1962	18	1919	30	1950	62	1990		59	34	46	
STEVENS POINT	88	1915	17	1907	39	1950	60	1990		60	38	49	
STURGEON BAY	85	1962	20	1933	38	1907	53	1962		56	37	46	
WAUSAU	84	1915,1962	23	1958	32	1950	62	1990		60	38	49	
WISCONSIN RAPIDS	85	1923	16	1907	37	1950	62	1962		62	37	49	
	REC		REC										NORMAL
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.90	1949	4.0	1965						1.98	4.64	2.7	52.4
APPLETON	1.73	2011	T	1953,1965,1966,2000						2.54	6.57	2.4	43.8
GREEN BAY	1.75	2011	0.7	1966						2.27	6.36	2.8	51.1

MANITOWOC	1.38	2009	T	1932						2.76	7.68	0.9	43.0
MARSHFIELD	1.59	2009	T	1966						2.38	5.87	2.8	50.5
MERRILL	1.37	2009	3.0	1988						2.31	6.02	3.8	51.0
OSHKOSH	1.54	2011	T	1931						2.48	6.52	0.9	35.8
RHINELANDER	1.30	1954	4.0	1965						2.18	5.79	5.7	66.3
STEVENS POINT	1.75	1949	0.0							2.50	6.29	1.8	44.5
STURGEON BAY	1.21	1949	2.0	1966						2.36	7.20	2.3	50.6
WAUSAU	1.04	1902	0.8	1950						2.30	6.00	3.8	59.1
WISCONSIN RAPIDS	1.52	1949	0.3	1950						2.51	6.33	1.3	47.5

## APRIL 26


## APRIL 27

					REC			REC					
	REC		REC		LOW			HIGH					NORMAL
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	83	1952	20	1946	34	1950	62	1906		58	35	47	
APPLETON	86	1986	22	1996	36	1950	64	1990		61	41	51	
GREEN BAY	84	1952,1986	26	1996	36	1950	62	1915		59	38	49	
MANITOWOC	83	1952	25	1996	38	1885,1950	52	1957		55	39	47	
MARSHFIELD	84	1970,1977	20	1946	34	1950	57	1915,1990		61	39	50	
MERRILL	84	1952,1986	21	1945	36	1950	60	1990		60	35	48	
OSHKOSH	86	1952	24	1946	38	1950	67	1899		61	40	50	
RHINELANDER	83	1952,1986	19	2012	35	1950	59	1986		59	34	47	
STEVENS POINT	86	1962	21	1933	35	1950	60	1915		60	38	49	
STURGEON BAY	83	1962	24	1933	38	1926	50	1990		57	37	47	
WAUSAU	85	1986	21	1934,1946	33	1950	61	1986		61	38	49	
WISCONSIN RAPIDS	85	1952	16	1933	37	1950	59	1990		62	38	50	
	REC		REC										NORMAL
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.90	1921	4.0	2002						2.08	4.74	2.7	52.4

APPLETON	1.23	1908	T	1931,1950					2.64	6.67	2.4	43.8
GREEN BAY	0.93	1964	T	1913,1950,1988,1995					2.36	6.45	2.8	51.1
MANITOWOC	1.00	1926	1.0	1913					2.86	7.78	0.9	43.0
MARSHFIELD	2.04	1975	4.0	1988					2.48	5.97	2.9	50.6
MERRILL	1.17	2002	0.5	1907					2.41	6.12	3.8	51.0
OSHKOSH	2.25	1899	T	1936					2.58	6.62	0.9	35.8
RHINELANDER	1.30	1921	2.0	2002					2.27	5.88	5.8	66.4
STEVENS POINT	2.11	1921	3.5	1988					2.61	6.40	1.9	44.6
STURGEON BAY	1.29	1908	T	1943,2004					2.46	7.30	2.3	50.6
WAUSAU	2.10	1899	2.4	2002					2.41	6.11	3.9	59.2
WISCONSIN RAPIDS	1.87	1908	2.0	1988					2.62	6.44	1.3	47.5

## APRIL 27


## APRIL 28

					REC			REC				
	REC		REC		LOW			HIGH				NORMAL
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	90	1952	24	1909,1992	34	1994	60	1900		58	36	47
APPLETON	85	1915	22	1996	35	1994	57	1938		61	41	51
GREEN BAY	85	1974	25	1965	36	1956	59	1974		60	38	49
MANITOWOC	85	1915	27	1965	38	1994	55	1915		56	40	48
MARSHFIELD	86	1952	24	1950	39	2008	57	1974		61	39	50
MERRILL	92	1952	21	1965	35	1994	62	1986		61	35	48
OSHKOSH	85	1915	26	1965	41	1908	62	1901,1986		61	40	51
RHINELANDER	92	1952	17	1909	36	2002	56	1911		60	35	47
STEVENS POINT	90	1952	24	1953	35	1907	61	1974		61	39	50
STURGEON BAY	81	1951,1952	19	1909	39	2002	56	1974		57	37	47
WAUSAU	91	1952	25	1953,1958	34	1994	62	1974		61	38	50
WISCONSIN RAPIDS	88	1952	22	1929	36	1994	60	1974		63	38	50
	REC		REC									NORMAL
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW

									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.42	1991	3.0	1971					2.18	4.84	2.8	52.5
APPLETON	1.20	1975	3.0	1909					2.74	6.77	2.4	43.8
GREEN BAY	1.16	1899	1.3	2008					2.45	6.54	2.8	51.1
MANITOWOC	2.15	1896	5.0	1909					2.97	7.89	0.9	43.0
MARSHFIELD	1.05	1918	2.0	1971					2.59	6.08	2.9	50.6
MERRILL	0.82	1938	5.0	2002					2.52	6.23	3.9	51.1
OSHKOSH	1.84	1896	3.0	1909					2.68	6.72	0.9	35.8
RHINELANDER	1.34	1914	6.0	2002					2.38	5.99	5.9	66.5
STEVENS POINT	1.55	1914	3.1	2008					2.72	6.51	1.9	44.6
STURGEON BAY	1.15	1908	T	1969					2.56	7.40	2.4	50.7
WAUSAU	1.13	1938	1.0	1969					2.51	6.21	4.0	59.3
WISCONSIN RAPIDS	1.24	1959	0.2	1923					2.74	6.56	1.3	47.5

## APRIL 28


## APRIL 29

					REC			REC				
	REC		REC		LOW			HIGH				NORMAL
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	88	1952	17	1958	35	1909	56	1970		59	36	47
APPLETON	87	1970	23	1958	34	1909	57	1970,1991		61	41	51
GREEN BAY	85	2007	22	1956,1969	34	1956	56	1970		60	39	49
MANITOWOC	83	2007	26	1958	36	1888	59	1942		56	40	48
MARSHFIELD	89	1952	19	1958	40	1956	59	1952		62	39	51
MERRILL	91	1952	17	1958	37	1907	52	1940		61	36	48
OSHKOSH	88	1970	23	1958	36	1909	66	1899		62	40	51
RHINELANDER	89	1952	16	1958	36	1909	56	1970		60	35	48
STEVENS POINT	90	1952	20	1958	33	1909	60	1970		61	39	50
STURGEON BAY	83	2007	24	1958	35	1956	55	1941		58	37	48
WAUSAU	91	1952	19	1956,1958	35	1956	59	1970		61	39	50
WISCONSIN RAPIDS	90	1952	17	1958	32	1909	60	1970		63	38	50

	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.98	1984	5.0	1909,1956					2.28	4.94	2.8	52.5
APPLETON	1.55	1984	5.0	1956					2.84	6.87	2.5	43.9
GREEN BAY	1.98	1896	3.5	1956					2.54	6.63	2.9	51.2
MANITOWOC	2.00	1896	1.0	1956					3.07	7.99	0.9	43.0
MARSHFIELD	1.47	1942	8.0	1956					2.69	6.18	3.0	50.7
MERRILL	2.21	1984	7.5	1996					2.62	6.33	3.9	51.1
OSHKOSH	1.72	1984	3.0	1996					2.78	6.82	0.9	35.8
RHINELANDER	2.00	1984	3.7	1909					2.48	6.09	6.0	66.6
STEVENS POINT	1.44	1942	5.5	1956					2.83	6.62	2.0	44.7
STURGEON BAY	1.97	1909	8.0	1909					2.65	7.49	2.4	50.7
WAUSAU	1.92	1984	9.0	1956					2.62	6.32	4.0	59.3
WISCONSIN RAPIDS	1.83	1984	4.5	1956					2.86	6.68	1.3	47.5

## APRIL 29


## APRIL 30

			REC		REC	LOW		HIGH		NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	86	1952	5	1956	30	1909	58	1904		59	36	48
APPLETON	87	2013	22	1956	37	1909	59	1970,2001		62	42	52
GREEN BAY	84	1901,2013	12	1956	35	1888	59	1891		61	39	50
MANITOWOC	85	1901	27	1903	35	1888	55	1941		56	40	48
MARSHFIELD	85	1952	12	1956	41	1917	58	2010		62	40	51
MERRILL	88	1952	8	1956	28	1911	53	1934		61	36	49
OSHKOSH	85	2013	18	1956	37	1909	61	1970		62	41	51
RHINELANDER	89	1952	20	1956	31	1909	57	2001		61	35	48
STEVENS POINT	89	1952	17	1956	35	1909	57	1901		62	39	50
STURGEON BAY	79	1957	20	1956	36	1909	50	1965		58	38	48
WAUSAU	88	1952	11	1956	35	1909,1950	59	2001		62	39	50

WISCONSIN RAPIDS	88	1952		11	1956	34	1909	60	2001		64	39	51
	REC			REC							NORMAL		
	PCPN	YEAR(S)		SNOW	YEAR(S)						PCPN		SNOW
											MONTH	YEAR	MONTH SEASON
ANTIGO	1.10	1960		5.0	1909						2.38	5.04	2.9 52.6
APPLETON	1.32	1960		1.5	1996						2.94	6.97	2.5 43.9
GREEN BAY	1.36	1997		0.9	1996						2.63	6.72	2.9 51.2
MANITOWOC	1.52	1930		1.0	1909						3.17	8.09	0.9 43.0
MARSHFIELD	2.18	1984		1.0	1950,1984,1996						2.80	6.29	3.0 50.7
MERRILL	1.05	1933		4.0	1956						2.73	6.44	4.0 51.2
OSHKOSH	2.10	1909		2.2	1927						2.88	6.92	0.9 35.8
RHINELANDER	0.99	1954		2.7	1909						2.58	6.19	6.1 66.7
STEVENS POINT	2.16	1984		3.5	1909						2.94	6.73	2.0 44.7
STURGEON BAY	1.91	1909		T	1909,1918,1940,1953						2.75	7.59	2.4 50.7
WAUSAU	1.05	1954		6.0	1909						2.73	6.43	4.1 59.4
WISCONSIN RAPIDS	1.32	2007		1.0	1912						2.97	6.79	1.3 47.5

# APRIL 30





























































































































































































































































































































































































































































































































































































































































































































































































































































































































































